## **AMENDMENTS TO THE CLAIMS:**

Please cancel without prejudice claims 2, 4 and 14 and amend claim 1 as follows.

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (currently amended) A <u>passive millimeter wave (MMW)</u> radiation detection apparatus comprising:

a radiation detector; and

a lens arrangement, the lens arrangement comprising:

a polarising element; and

an optical corrector, the polarising element being arranged to selectively transmit radiation of a first polarisation and to <u>focus and</u> selectively reflect radiation of a second polarisation, and the optical corrector having a first and a second <u>curved</u> surfaces, where<u>in at least one of the first and said</u> second surfaces is shaped to correct aberrations present in the lens arrangement, <u>said first surface comprising a convex surface</u>, wherein said optical corrector is arranged to support the polarising element upon said first convex surface thereof, wherein said <u>first convex surface is conformal with said polarizing element</u>.

2. (cancelled).

3. (previously presented) A radiation detection apparatus as claimed in claim 1 wherein the optical corrector is physically located between the polarising element and the radiation detector,

ANDERTON et al Appl. No. 10/560,071 February 1, 2008

4. (cancelled).

5. (previously presented) A radiation detection apparatus as claimed in claim 1 wherein

the optical corrector is fabricated from a material having a density of around 30 gl<sup>-1</sup>.

6. (previously presented) A radiation detection apparatus as claimed in claim 1 wherein

the optical corrector is fabricated from a material having a refractive index of between 1.001 and

2.

7. (previously presented) A radiation detection apparatus as claimed in claim 1 wherein

there is provided a further optical corrector interposed between the optical corrector and the

radiation detector.

8. (original) A radiation detection apparatus as claimed in claim 7 wherein the further

optical corrector has a front surface with an elliptical cross-section and an aspherical, plane or

spherical profile.

9. (previously presented) A radiation detection apparatus as claimed in claim 7 wherein

the further optical corrector has a rear surface with a different profile to the profile of the front

surface.

ANDERTON et al 'Appl. No. 10/560,071 February 1, 2008

10. (previously presented) A radiation detection apparatus as claimed in claim 7 wherein

the further optical corrector is fabricated from a plastic material.

11. (previously presented) A radiation detection apparatus as claimed in claim 7 wherein

the further optical corrector is fabricated from a plastics foam material.

12.(previously presented) A radiation detection apparatus as claimed in claim 1 wherein

the radiation detector is an imaging radiation detector.

13. (previously presented) A radiation detection apparatus as claimed in claim 1 wherein

the polarising element is arranged to focus radiation having the second polarisation.

14. (cancelled).

- 5 -

1299261